

FIG. 1 (PG 1 OF 2)

BOVINE RAG2 SEQUENCE

```
>
   773 ATGTCACT ACAGATGGTA ACAGTCGGAA
   801 ATAGCATAGC CTTAATTCAA CCAGGCTTCT CGTTAATGAA
 TTTTGATGGG
   851 CAAGTTTTCT TCTTTGGCCA AAAAGGCTGG CCCAAGAGGT
 CTTGCCCCAC
   901 TGGAGTTTTC CATTTTGAGG TAAAGCATAA TCATCTTAAA
CTGAAGCCTG
   951 CAGTTTTCTC TAAGGATTCC TGCTACCTTC CTCCTCTTCG ATACCGGGC
> 1001 CACTTGCACA TTCAGCGGCC AACTTGGAGT CTGAAAAGCA
TCAGTACATC
> 1051 ATCCATGGAG GAAAAACACC AAACAATGAG CTTTCAGATA
AGATTTATGT
> 1101 GATGTCTGTT GTTTCCAAGA ACAACAAAA AGTTACCTTT
CGCTGCACAG
> 1151 AGAAGGACTT GGTAGGAGAC ATTCCTGAAG GCAGATATGG
> 1201 GATGTGGTGT ATAGTCGGGG GAAAAGTATG GGTGTTCTCT
TTGGAGGACG
> 1251 GTCATACATA CCTTCTGCCC AAAGAACCAC AGAGAAATGG
AACAGTGTAG
> 1301 CTGACTGCCT GCCCCATGTC TTCTTGGTGG ATTTTGAATT
TGGGTGCTCT
> 1351 ACGTCATACA TTCTTCCAGA ACTTCAAGAT GGACTATCTT
TTCATGTCTC
> 1401 CATTGCCAGA AATGATACCG TTTATATTTT AGGAGGCCAT
TCACTTGCCA
> 1451 ATAACATCCG CCCTGCCAAT CTGTACAGAA TAAGGGTTGA
TCTCCCCCTG
```




FIG. 1 (PG 2 OF 2)

BOVINE RAG2 SEQUENCE

| > 1501 GGTAGCCCAG CTGTGGAGTG CACAGTCTTG CCAGGAGGA/ |
|--|
| > |
| > 1551 CAGTGCAATC CTGACTCAAA TAAGCAATGA TGAATTTGTT ATTGTTGGTG |
| > |
| > 1601 GCTATCAGCT TGAAAATCAA AAAAGAATGG TCTGTAACAT |
| > |
| > 1651 AAGTATAACA AGATAGACAT TCTTGAGATG GAAACCCCA(ATTGGACCCC |
| > |
| 1701 AGATATTAAG CACAGCAAGA TATGGTTTGG AAGCAACATG GGAAATGGAA |
| > |
| 1751 CTGTTTTCCT CGGCATACCA GGAGACAATA AACAGGCTGT TTCAGAAGCA |
| > |
| > 1801 TTTTACTTCT ATACATTGAA ATGTGCTGAA GACGATGTGA ACGAAGATCA |
| |
| 1851 GATAACTTTG ACAAGTAGTC AGACATCAAC AGAAGACCCA GGGGACTCCA |
| |
| > 1901 CTCCCTTTGA AGACTCAGAA GAATTTTGCT TCAGCGCAGA AGCAAACAGT |
| • |
| 1951 TTCGATGGTG ATGATGAATT TGACACCTAC AATGAAGATG 4TGAGGAAGA |
| |
| 2001 TGAGTCTGAGACAGGCTATT GGATTACATG CTGCCCTACT |
| \$0000 - 1000 - 1000 - 1000 |
| 2051 ATATCAATAC GTGGGTACCA TTTTATTCAA CTGAGCTCAA |
| · Setting the setting of the setting |
| 2101 ATGATCTATT GCTCTCATGG AGATGGACAT TGGGTCCATG |
| Market Control of the |
| 2151 GGATCTGGCA GAACGCACCA CCTCATCCAT CTATCAGAAG GAAGCAATAA |
| 2201 ATATTAYTGT AACGAGCATG TGGAGATAG |
| |


4.7

4.5



Bovine 5' and 3' flanking (FL) sequences are blue; RAG-2 coding region is green & the interrupting neomycin gene is red. Note that the transcriptional orientation of the NEO gene is opposite to that of the RAG-2 gene.





transmembrane domain exons, were deleted and replaced with the loxP-flanked neomycir The 4.5 Kb region containing the exons encoding the Mu constant region and associated resistance cassette (Not I fragment)

